

Brand	Rubber	Thickness	Reading 1 Ave	Reading 2 Ave	Reading 3 Ave
729	Faster Transcend	2.0mm	29	36.7	
729	Faster Germany Sponge	2.2mm	31.9		
729	Tack-Speed 2000 MRS	2.2mm	29.7		
729	GeoSpin Tacky	2.0mm	42		
729	GeoSpin	2.0mm	42		
729	Cream	2.2mm	34.1	30.1	30.2
729	729-2 New	2.2mm	35.4		
729	729-5	2.2mm	42		
729	SP Transcend	2.2mm	42.6		
729	Cream Transcend	2.2mm	37.9		
729	Focus 2	2.2mm	38.8		
729	Higher III - Japanese Sponge	2.2mm	33.5		
729	Higher Transcend	2.2mm	39.6	39	
729	Higher Transcend	2.0mm	40.9		
729	Higher II - German Sponge	2.2mm	38		
729	802-40 Short Pips	2.2mm	25.6		
729	RITC 2000 Tackspeed MRS	1.5mm	36.6		
729	Lightening Superlight	2.0mm	29.8		
LKT	Rapid Power	2.0mm	32		
LKT	Rapid Speed	2.0mm	43.3		
LKT	Rapid Sound	2.0mm	26		
LKT	Rapid Soft	2.0mm	30.9		
Andro	Hexer	2.1mm	30		
Andro	Hexer +	2.1mm	30		
Andro	Hexer Power Sponge	2.1mm	26		
Andro	Revolution Quad 420	2.0mm	25.4	26	
Andro	Impuls Speed	2.2mm	20		
Andro	Plasma Women	2.0mm	20		
Andro	Plasma 380	Maximum	23.3		
Andro	Plasma 430	Maximum	25.5		
Andro	Roxon 450	2.0mm	29.2	28.2	26.7
Andro	Roxon 500pro	2.0mm	32.1	33.5	
Andro	Roxon 500pro	Maximum	34.2		
Andro	Plasma 470	Maximum	35.8		
Andro	Plasma 470	2.0mm	32.2		
Andro	Rocket Soft	2.0mm	35.7		
Andro	Rocket Medium	2.0mm	35.7		
Andro	Rocket Hard	Maximum	44.6		
Andro	Impuls	2.1mm	27.8		
BTY	Tenergy 25	2.1mm	32.2		
BTY	Tenergy 05	2.1mm	32.3		
BTY	Tenergy 05 FX	2.1mm	23		
BTY	Solcion	2.1mm	24		
BTY	Sriver	Maximum	40.5		
BTY	Sriver - EL	2.1mm	30.2	34.94	
BTY	Sriver - FX	2.1mm	31.8		
BTY	Sriver G2 FX	Maximum	29		
BTY	Sriver G3 FX	2.1mm	29		
BTY	Sriver G3	1.9mm	33.9		
BTY	Bryce Fx	1.9mm	31.3	32	
BTY	Bryce Speed	2.1mm	31.6		
BTY	Bryce Speed Fx	1.9mm	29		
BTY	Cermet	1.9mm	33.2	27.3	
BTY	Bryce	2.1mm	34.6	37	
BTY	Tackiness C	1.9mm	26		

Brand	Rubber	Thickness	Reading 1 Ave	Reading 2 Ave	Reading 3 Ave
BTY	Tackifire C	2.1mm	41.2	41.5	
Dawei	Navigator GT-A4 42	2.3mm	31.1		
Dawei	Inspirit Quattro UL 35	2.0mm	23.2	24.3	
Dawei	Inspirit 35 deg	Maximum	24		
Dawei	Inspirit 42 deg	2.0mm	34.7	31.6	
Dawei	Inspirit 44 deg	2.2mm	30	28	
Dawei	Inspirit Quattro 42 deg	2.0mm	35		
Dawei	Inspirit Quattro 35 deg	2.0mm	36.5	34.3	
Dawei	Inspirit Quattro UL 40	2.0mm	37.6		
Dawei	Inspirit Quattro UL 42	2.0mm	39.5		
Dawei	Super power XP 2008	2.0mm	39.8		
Donic	Coppa X1 Turbo	Maximum	28		
Donic	Coppa X2 Platin Soft	Maximum	25.5		
Donic	Coppa X1 Gold	Maximum	28		
Donic	Coppa X3 Silver	Maximum	23.5		
Donic	Acuda S1	2.0mm	35		
Donic	Acuda S2	Maximum	25		
Donic	Acuda S3	Maximum	25		
Donic	Barracuda	Maximum	30	33.7	27.4
Donic	Coppa Speed	2.1mm	34.5		
Donic	Desto F3 Big Slam	Maximum	17.5		
Donic	Desto F3 Big Slam	2.0mm	19.3	19.2	
Donic	Coppa JO Silver	Maximum	23.1		
Donic	Coppa JO Gold	Maximum	32.6		
Donic	Desto F2	Maximum	23.8		
Donic	Desto F3	Maximum	24	26.7	
Donic	Coppa JO Silver	2.0mm	24.2		
Donic	Sonnex JP Soft	2.0mm	24.2		
Donic	Platin Soft	2.0mm	24.7	28.5	
Donic	Sonex JP Gold	2.0mm	30.5	28	32.9
Donic	Desto F1 HS	Maximum	32.7		
Donic	Platin	2.0mm	33	34	
Gambler	Four Kings	2.0mm	22		
Gambler	Six Shooter Pre Tune	2.2mm	33.2		
Goldway	Goldway 916	2.0mm	42		
Joola	energy X-tra	2.0mm	21.2		
Joola	Tango Extrem	Maximum	27.3	27.7	
Joola	energy X-tra	Maximum	29.7		
Joola	energy X-tra	2.0mm	28.9		
Joola	energy Green Power	Maximum	29.4		
Kokutaku	Bluntenkirshce 868 Tokyo Extra Tacky (40-43deg)	2.0mm	30.6		
Kokutaku	Tulpe 007 - Tacky	2.1mm	29.2		
LKT	Red Diamond	2.1mm	41.5		
LKT	Black Power	2.1mm	44.5		
Tibhar	Rapid D.Tecs	Maximum	30		
Tibhar	Nimbus Soft	Maximum	30		
Tibhar	Nimbus Medium	Maximum	33		
Xiom	Vega Pro	1.9mm	35.1		
Xiom	Omega II Euro	2.0mm	23.6		
Xiom	Omega II	2.0mm	25.5	28.8	
Xiom	Yanus DF	1.5mm	26.4		
Xiom	Yanus DF	2.0mm	27.1		
Xiom	Max Leverage				
Yasaka	Xtend HS	2.0mm	33.6		
Yasaka	Mark V	2.0mm	35		

Brand	Rubber	Thickness	Reading 1 Ave	Reading 2 Ave	Reading 3 Ave
Yinhe	Mars	2.0mm	30.6		
Yinhe	Jupiter (42-44)	2.2mm	43.2	43.5	
Yinhe	Saturn (42-44)	2.3mm	44		
Yinhe	Apollo (39 Deg)	2.1mm	40		
Yinhe	Earth	2.0mm	31.9		